



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/979,541	03/08/2002	Peter Walter	65961-0015	5016
10291	7590	07/16/2004	EXAMINER	
RADER, FISHMAN & GRAUER PLLC 39533 WOODWARD AVENUE SUITE 140 BLOOMFIELD HILLS, MI 48304-0610			FLEMING, FAYE M	
			ART UNIT	PAPER NUMBER
			3616	

DATE MAILED: 07/16/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

## Office Action Summary

Application No.

09/979,541

Applicant(s)

WALTER ET AL.

Examiner

Faye Fleming

Art Unit

3616

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 12 April 2004.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 5-27 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 5-27 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. §§ 119 and 120

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some \* c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.
- 13) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.
- a) ☐ The translation of the foreign language provisional application has been received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.

### Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) \_\_\_\_\_
- 4) ☐ Interview Summary (PTO-413) Paper No(s) \_\_\_\_\_
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other:

**DETAILED ACTION**

***Claim Objections***

1. Claim 26 objected to because of the following informalities: the term "are" should be *area*. Appropriate correction is required.

***Claim Rejections - 35 USC § 103***

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 5-27 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kubota, et al (6,333,515) in view of Kreuzer (5,901,976).

Kubota, et al a lining for columns of automobiles comprising a base area 42; an opening area 42B (extending to 39) covering an airbag 48 and a hinge area 46 disposed between and adjoining the base area and opening area, wherein the hinge area is coplanar along a surface of the base area and the opening area. The base area and the opening area together with the hinge area are covered by a unified decorative layer. The base area has a fixing element 54, as shown in figure 1. The hinge portion and/or area is adhered to the base portion and/or area and the opening portion and/or area.

Kubota, et al teaches the claimed elements except for the type of material used for the lining having a different hardness. Kreuzer teaches an airbag lid comprising an

Art Unit: 3616

opening area having a thermoplastic material with a Shore A hardness greater than 92, which can inherently exceed a 100 and a hinge area 8 adjoining a base area 3 and consisting of a thermoplastic material with a Shore A hardness of less than 95 (see claims 10-12). The opening area is bonded by intended fracture lines or wall thickness reductions adjoining the hinge area 8. The hinge area 8 consist of a thermoplastic material with a Shore A hardness between 30 and 95 (see claim 12). The hinge area consist of a thermoplastic material with a Shore A hardness between 60 and 80 (see claim 12). Based on the teachings of Kreuzer, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the lining of Kubota, et al to use the disclosed materials to provide a hard layer to prevent breakage as well as a sort layer to prevent injuries, since it has been held to be within the general skill of a worker in the art to select a known material on the basis of its suitability for the intended use as a matter of obvious design choice.

### ***Response to Arguments***

4. Applicant's arguments filed April 12, 2004 have been fully considered but they are not persuasive. The applicant argues "...that the combination of Kubota and Kreuzer does not disclose, teach or suggest all the claim limitations, as recited in Claim 5. Specifically, it is respectfully submitted that at least the feature of a hinge area disposed between and adjoining the base area and opening area, wherein the hinge area is coplanar along a surface of the base area and the opening area, and wherein the hinge area is made of a material having a different hardness than the base area and the

opening area, is not disclosed, taught or suggested in the applied art..." however the examiner refers the applicant to the above rejection wherein the references U.S. Patent 6,333,515 to Kubota, et al in view of U. S. Patent 5,901,976 to Kreuzer clearly teach the claimed structure of the present invention.

***Conclusion***

5. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Faye Fleming whose telephone number is (703) 305-0209. The examiner can normally be reached on M-F (9:00-5:00).

Art Unit: 3616

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Paul Dickson can be reached on (703) 308-2089. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Faye Fleming  
Examiner  
Art Unit 3616

  
07/12/09

fmf